

Side-Cutting Pliers

Plastic-dipped handles for comfort and ease of identification

"Handform" handles for full gripping and cutting power

Precision-hardened plier head for on-the-job toughness

Unique handle tempering helps absorb the "snap" when cutting wire

Hot-riveted joint ensures smooth action and no handle wobble

Induction hardened cutting knives for long life

Sure-gripping cross-hatched knurled jaws



FORGED STEEL
from Klein's US-made, proprietary blend

High-Leverage Side-Cutting Pliers

Includes core side-cutting features plus:

- High-leverage design. Rivet is closer to the cutting edge for 46% greater cutting and gripping power than other pliers designs
- Combination polished and black-oxide finish
- New England nose (Cat. No. J20008 has New England Tapered nose; Cat. No. D213-9 has Square nose)
- Cat. No. D2000-9NEGLW features glow in the dark grips to easily locate your tool in dark or low lit areas
- D213-9NETT has split tether ring for use with tether device



D213-9NE



SPLIT TETHER RING
D213-9NETT



Plain



Plastic-Dipped



JOURNEYMAN™
Dual-Material



Oversized,
Plastic-Dipped

Refer to the insulated section for insulated pliers.

Cat. No.	Overall Length	Jaw Length	Jaw Width	Jaw Thickness	Knife Length	Handle Color	Handle Finish	Weight
213-9NE	9-1/4" (235.0 mm)	1-19/32" (40.5 mm)	1-1/4" (31.8 mm)	1-19/32" (40.5 mm)	25/32" (19.8 mm)	Black	Plain	1.1 lb (0.5 kg)
D213-9	9-3/8" (238.1 mm)	1-19/32" (40.5 mm)	1-1/4" (31.8 mm)	1-19/32" (40.5 mm)	25/32" (19.8 mm)	Dark Blue	Plastic-Dipped	1.1 lb (0.5 kg)
D213-8NE	8-11/16" (220.7 mm)	1-7/16" (36.5 mm)	1-3/16" (30.2 mm)	1-7/16" (36.5 mm)	23/32" (18.3 mm)	Dark Blue	Plastic-Dipped	0.90 lb (0.41 kg)
D213-9NE	9-3/8" (238.1 mm)	1-19/32" (40.5 mm)	1-1/4" (31.8 mm)	1-19/32" (40.5 mm)	25/32" (19.8 mm)	Dark Blue	Plastic Dipped	1.1 lb (0.5 kg)
D213-9NETT	9-3/8" (238.1 mm)	1-19/32" (40.5 mm)	1-1/4" (31.8 mm)	1-19/32" (40.5 mm)	25/32" (19.8 mm)	Dark Blue	Plastic Dipped	1.1 lb (0.5 kg)
HD213-9NE	9-1/2" (241.3 mm)	1-19/32" (40.5 mm)	1-1/4" (31.8 mm)	1-19/32" (40.5 mm)	25/32" (19.8 mm)	Light Red	Heavy-Duty, Oversized, Plastic-Dipped	1.2 lb (0.5 kg)
J2138NE	8-13/16" (223.8 mm)	1-7/16" (36.5 mm)	1-3/16" (30.2 mm)	1-7/16" (36.5 mm)	23/32" (18.3 mm)	Dark Blue/Black	Journeyman	0.97 lb (0.44 kg)
J213-9NE	9-1/2" (241.3 mm)	1-19/32" (40.5 mm)	1-1/4" (31.8 mm)	1-19/32" (40.5 mm)	25/32" (19.8 mm)	Dark Blue/Black	Journeyman	1.1 lb (0.5 kg)
Pliers with heavy-duty cutting knives designed to cut ACSR, screws, nails and most hardened wire								
D2000-7	7-7/8" (200.02 mm)	1-9/32" (32.54 mm)	1-1/32" (26.2 mm)	1-9/32" (32.54 mm)	3/4" (19.05 mm)	Light Blue	Plastic-Dipped	0.66 lb (0.30 kg)
D2000-8	8-11/16" (220.7 mm)	1-7/16" (36.5 mm)	1-7/64" (28.2 mm)	1-7/16" (36.5 mm)	3/4" (19.1 mm)	Light Blue	Plastic-Dipped	0.85 lb (0.39 kg)
D2000-9NE	9-3/8" (238.1 mm)	1-19/32" (40.5 mm)	1-1/4" (31.8 mm)	1-19/32" (40.5 mm)	25/32" (19.8 mm)	Light Blue	Plastic-Dipped	1.1 lb (0.5 kg)
D20009NEGLW	9-3/8" (238.1 mm)	1-19/32" (40.5 mm)	1-1/4" (31.8 mm)	1-19/32" (40.5 mm)	25/32" (19.8 mm)	Glow in the Dark	Plastic-Dipped	1.1 lb (0.5 kg)
HD2000-9NE	9-1/2" (241.3 mm)	1-19/32" (40.5 mm)	1-1/4" (31.8 mm)	1-19/32" (40.5 mm)	25/32" (19.8 mm)	Light Red	Heavy-Duty, Oversized, Plastic-Dipped	1.2 lb (0.5 kg)
J20008	8-13/16" (223.8 mm)	1-7/16" (36.5 mm)	1-7/64" (28.2 mm)	1-7/16" (36.5 mm)	3/4" (19.1 mm)	Light Blue/Black	Journeyman	0.93 lb (0.42 kg)
J2000-9NE	9-1/2" (241.3 mm)	1-19/32" (40.5 mm)	1-1/4" (31.8 mm)	1-19/32" (40.5 mm)	25/32" (19.8 mm)	Light Blue/Black	Journeyman	1.1 lb (0.5 kg)





Side-Cutting Pliers

High-Leverage Side-Cutting Pliers - Fish Tape Pulling

Includes core side-cutting features plus:

- Easily pulls 1/8" or 1/4" flat steel fish tape without damaging the tape
- High-leverage design. Rivet is closer to the cutting edge for 46% greater cutting and gripping power than other pliers designs
- Cat. No. J2000-9NECRTP crimps non-insulated connectors, lugs, and terminals



D213-9NETP



Plastic-Dipped



JOURNEYMAN™ Dual-Material

Cat. No.	Overall Length	Jaw Length	Jaw Width	Jaw Thickness	Knife Length	Handle Color	Handle Finish	Weight
D213-9NETP	9-3/8" (238.1 mm)	1-19/32" (40.5 mm)	1-1/4" (31.8 mm)	1-19/32" (40.5 mm)	25/32" (19.8 mm)	Dark Blue	Plastic-Dipped	1.1 lb (0.5 kg)
J213-9NETP	9-1/2" (241.3 mm)	1-19/32" (40.5 mm)	1-1/4" (31.8 mm)	1-19/32" (40.5 mm)	25/32" (19.8 mm)	Dark Blue/Black	Journeyman	1.1 lb (0.5 kg)
Pliers with heavy-duty cutting knives designed to cut ACSR, screws, nails and most hardened wire								
D2000-9NETP	9-3/8" (238.1 mm)	1-19/32" (40.5 mm)	1-1/4" (31.8 mm)	1-19/32" (40.5 mm)	25/32" (19.8 mm)	Light Blue	Plastic-Dipped	1.1 lb (0.5 kg)
J2000-9NETP	9-1/2" (241.3 mm)	1-19/32" (40.5 mm)	1-1/4" (31.8 mm)	1-19/32" (40.5 mm)	25/32" (19.8 mm)	Light Blue/Black	Journeyman	1.1 lb (0.5 kg)
J2000-9NECRTP	9-1/2" (241.3 mm)	1-19/32" (40.5 mm)	1-1/4" (31.8 mm)	1-19/32" (40.5 mm)	25/32" (19.8 mm)	Blue/Black	Journeyman	1.1 lb (0.5 kg)

High-Leverage Side-Cutting Pliers - Lineman's Bolt-Thread Holding

Includes core side-cutting features plus:

- Hinge opening holds and cleans 5/8" pole line and hardware bolts or threaded rods
- High-leverage design. Rivet is closer to the cutting edge for 46% greater cutting and gripping power than other pliers designs



D213-9NETH



Plastic-Dipped



Oversized, Plastic-Dipped

Cat. No.	Overall Length	Jaw Length	Jaw Width	Jaw Thickness	Knife Length	Handle Color	Handle Finish	Weight
D213-9NETH	9-3/8" (238.1 mm)	1-19/32" (40.5 mm)	1-1/4" (31.8 mm)	1-19/32" (40.5 mm)	25/32" (19.8 mm)	Dark Blue	Plastic-Dipped	1.1 lb (0.5 kg)
HD213-9NETH	9-1/2" (241.3 mm)	1-19/32" (40.5 mm)	1-1/4" (31.8 mm)	1-19/32" (40.5 mm)	25/32" (19.8 mm)	Light Red	Heavy-Duty, Oversized, Plastic-Dipped	1.2 lb (0.5 kg)
Pliers with heavy-duty cutting knives designed to cut ACSR, screws, nails and most hardened wire								
D2000-9NETH	9-3/8" (238.1 mm)	1-19/32" (40.5 mm)	1-1/4" (31.8 mm)	1-19/32" (40.5 mm)	25/32" (19.8 mm)	Light Blue	Plastic-Dipped	1.2 lb (0.5 kg)

High-Leverage Side-Cutting Pliers - Connector Crimping

Includes core side-cutting features plus:

- Crimping die behind hinge for superior leverage crimping non-insulated connectors, lugs and terminals
- Cat. No. J213-9NECRN cleanly strips 10 and 12 solid AWG wire and 12 and 14 AWG stranded wire
- High-leverage design. Rivet is closer to the cutting edge for 46% greater cutting and gripping power than other pliers designs



D213-9NECR



WIRE STRIPPING HEAD
J213-9NECRN



Plastic-Dipped



JOURNEYMAN™ Dual-Material

Cat. No.	Overall Length	Jaw Length	Jaw Width	Jaw Thickness	Knife Length	Handle Color	Handle Finish	Weight
D213-9NE-CR	9-3/8" (238.1 mm)	1-19/32" (40.5 mm)	1-1/4" (31.8 mm)	1-19/32" (40.5 mm)	25/32" (19.8 mm)	Yellow	Plastic-Dipped	1.0 lb (0.5 kg)
J213-9NECR	9-1/2" (241.3 mm)	1-19/32" (40.5 mm)	1-1/4" (31.8 mm)	1-19/32" (40.5 mm)	25/32" (19.8 mm)	Yellow/Black	Journeyman	1.1 lb (0.5 kg)
J2139NECRN	9-1/2" (241.3 mm)	1-19/32" (40.5 mm)	1-1/4" (31.8 mm)	5/8" (15.9 mm)	25/32" (19.8 mm)	Yellow/Black	Journeyman	1.1 lb (0.5 kg)
Pliers with heavy-duty cutting knives designed to cut ACSR, screws, nails and most hardened wire								
D2000-9NECR	9-3/8" (238.1 mm)	1-19/32" (40.5 mm)	1-1/4" (31.8 mm)	1-19/32" (40.5 mm)	25/32" (19.8 mm)	Light Blue	Plastic-Dipped	1.1 lb (0.5 kg)
J2000-9NECR	9-1/2" (241.3 mm)	1-19/32" (40.5 mm)	1-1/4" (31.8 mm)	1-19/32" (40.5 mm)	25/32" (19.8 mm)	Light Blue/Black	Journeyman	1.1 lb (0.5 kg)



Side-Cutting Pliers

Side-Cutting Pliers

Includes core side-cutting features plus:

- J20017NE features Journeyman™ Series dual-material handles



D201-9NE



Plastic-Dipped



JOURNEYMAN™ Dual-Material

Cat. No.	Overall Length	Jaw Length	Jaw Width	Jaw Thickness	Knife Length	Handle Color	Handle Finish	Weight
D201-8	8-11/16" (220.7 mm)	1-7/16" (36.5 mm)	1-7/32" (31.0 mm)	1-7/16" (36.5 mm)	23/32" (18.3 mm)	Dark Blue	Plastic-Dipped	0.93 lb (0.42 kg)
D201-7NE	7-7/16" (188.9 mm)	1-9/32" (32.5 mm)	1-1/16" (27.0 mm)	1-9/32" (32.5 mm)	5/8" (15.9 mm)	Dark Blue	Plastic-Dipped	0.55 lb (0.25 kg)
D201-8NE	8-11/16" (220.7 mm)	1-7/16" (36.5 mm)	1-3/16" (30.2 mm)	1-7/16" (36.5 mm)	23/32" (18.3 mm)	Dark Blue	Plastic-Dipped	0.92 lb (0.42 kg)
D201-9NE	9-3/8" (238.1 mm)	1-19/32" (40.5 mm)	1-5/16" (33.3 mm)	1-19/32" (40.5 mm)	25/32" (19.8 mm)	Dark Blue	Plastic-Dipped	1.1 lb (0.5 kg)
J20017NE	7-9/16" (192.1 mm)	1-9/32" (32.5 mm)	1-1/16" (27.0 mm)	1-9/32" (32.5 mm)	5/8" (15.9 mm)	Light Blue/Black	Journeyman	0.61 lb (0.28 kg)

High-Leverage Universal Combination Pliers

Includes core side-cutting features plus:

- Crimping die behind hinge for superior leverage crimping non-insulated connectors, lugs and terminals
- High-leverage design. Rivet is closer to the cutting edge for 46% greater cutting and gripping power than other pliers designs
- Toothed pipe-grip for greater gripping power



12098



Plastic-Dipped



JOURNEYMAN™ Dual-Material

Refer to the insulated section for insulated pliers.

Cat. No.	Overall Length	Jaw Length	Jaw Width	Jaw Thickness	Knife Length	Handle Color	Handle Finish	Weight
12098	8-5/8" (219.1 mm)	1-25/32" (45.2 mm)	1-1/32" (26.2 mm)	1-25/32" (45.2 mm)	3/4" (19.1 mm)	Dark Blue	Plastic-Dipped	0.72 lb (0.33 kg)
J12098	8-3/4" (222.3 mm)	1-25/32" (45.2 mm)	1-1/32" (26.2 mm)	1-25/32" (45.2 mm)	3/4" (19.1 mm)	Dark Blue/Black	Journeyman	0.82 lb (0.37 kg)

Ironworker's Pliers

Includes core side-cutting features plus:

- Twists and cuts soft annealed rebar tie wire
- Cat. Nos. 213-9ST, D213-9ST and D20009ST feature high-leverage design. Rivet is closer to the cutting edge for 46% greater cutting and gripping power than other pliers designs
- Hook bend handle
- Spring-loaded action for self-opening
- Cat. Nos. D201-7CSTA, D213-9STT, 213-9ST, D213-9ST and D2000-9ST feature heavy-duty knurled jaws
- D201-7CSTT and D213-9STT has split tether ring for use with tether device



SPLIT TETHER RING
D201-7CSTT
D213-9STT



NEW!



DEEPER CHANNELS ON KNURL
D201-7CSTA



Plain



Plastic-Dipped

D201-7CSTA

Cat. No.	Overall Length	Jaw Length	Jaw Width	Jaw Thickness	Knife Length	Handle Color	Handle Finish	Weight
201-7CST	9-1/8" (231.8 mm)	1-9/32" (32.5 mm)	1-5/32" (29.4 mm)	1-9/32" (32.5 mm)	5/8" (15.9 mm)	Black	Plain	0.65 lb (0.29 kg)
D201-7CST	9-1/4" (235.0 mm)	1-9/32" (32.5 mm)	1-5/32" (29.4 mm)	1-9/32" (32.5 mm)	5/8" (15.9 mm)	Blue	Plastic	0.75 lb (0.34 kg)
D201-7CSTA NEW!	9-1/4" (235.0 mm)	1-9/32" (32.5 mm)	1-5/32" (29.4 mm)	1-9/32" (32.5 mm)	5/8" (15.9 mm)	Red	Plastic	0.75 lb (0.34 kg)
D201-7CSTT	9" (228.6 mm)	1-1/2" (38.1 mm)	1-1/4" (31.8 mm)	1-1/2" (38.1 mm)	5/8" (15.9 mm)	Blue	Plastic	0.68 lb (0.31 kg)
213-9ST	9-1/4" (235.0 mm)	1-19/32" (40.5 mm)	1-1/4" (31.8 mm)	1-19/32" (40.5 mm)	25/32" (19.8 mm)	Black	Plain	1.0 lb (0.5 kg)
D213-9ST	9-3/8" (238.1 mm)	1-19/32" (40.5 mm)	1-1/4" (31.8 mm)	1-19/32" (40.5 mm)	25/32" (19.8 mm)	Blue	Plastic	1.1 lb (0.5 kg)
D213-9STT	9-3/8" (238.1 mm)	2" (50.8 mm)	1-1/4" (31.8 mm)	2" (50.8 mm)	25/32" (19.8 mm)	Blue	Plastic	1.1 lb (0.5 kg)

Pliers with heavy-duty cutting knives designed to cut ACSR, screws, nails and most hardened wire

D2000-7CST	9-1/4" (235.0 mm)	1-9/32" (32.5 mm)	1-5/32" (29.4 mm)	1-9/32" (32.5 mm)	5/8" (15.9 mm)	Blue	Plastic	0.70 lb (0.32 kg)
D2000-9ST	9-3/8" (238.1 mm)	1-19/32" (40.5 mm)	1-1/4" (31.8 mm)	1-19/32" (40.5 mm)	25/32" (19.8 mm)	Blue	Plastic Dipped	1.1 lb (0.5 kg)

